



Image: Marcia Morris



Image: Carl Barrentine



Image: Charles Melton



Image: Maine Forest Service



Image: Robert Webster



Image: Mike Weedon



Image: John Davis



Image: Anne Burton

<p>Virginian tiger moth (<i>Spilosoma virginica</i>)</p>	<p>Satin moth (<i>Leucoma salicis</i>)</p>	<p>Fall webworm (<i>Hyphantria cunea</i>)</p>	<p>Browntail moth (<i>Euproctis chrysorrhoea</i>)</p>
<p>Native</p>	<p>Introduced into North America around 1920</p>	<p>Native</p>	<p>Introduced to North America around 1897</p>
<p>Wingspan is 32-52 mm</p>	<p>Wingspan is 37–50 mm</p>	<p>Wingspan is 25-42 mm</p>	<p>Wingspan is 36–42 mm</p>
<p>Moth lacks a brown-tipped abdomen. Abdomen is white with darker-colored dots along the top.</p>	<p>Moth lacks a brown-tipped abdomen. Legs have broad black rings on them.</p>	<p>Moth lacks a brown-tipped abdomen. Abdomen is all white. Forelegs have bright yellow or orange patches.</p>	<p>Abdomen is covered in reddish-brown hairs leading to the common name of the moth. Very prominent in the larger abdomen of females.</p>