









Product	Age Use	Diluent	Dose/Injection Amount	Storage and Use by Date	
 Moderna COVID-19 Vaccine For age 6 months through 5 years Suspension for Intramuscular injection For use under Emergency Use Authorization NDC 80777-279-89	MONOVALENT Moderna: Blue vial cap with magenta-bordered label	6m-5yr	NONE	Any doses in primary series 25 mcg/ 0.25mL	Ultra-cold: NONE
 Moderna COVID-19 Vaccine, Bivalent For age 6 months through 5 years Suspension for Intramuscular injection For use under Emergency Use Authorization NDC 80777-283-99	BIVALENT Moderna: Dark pink vial cap with yellow-bordered label	6m-5yr	NONE	Booster dose <i>Only available as booster dose for children 6 mo-4 years who completed Moderna primary series***</i>	10 mcg/ 0.2mL Freezer: Until expiry -50 °C to -15 °C (-58 °F to +5 °F)
 Moderna COVID-19 Vaccine For use under Emergency Use Authorization NDC 80777-275-99	MONOVALENT Moderna: Blue vial cap with purple-bordered label	6yr-11yr	NONE	Any doses in primary series 50 mcg/ 0.5mL	Fridge: 30 days 2 °C to 8 °C (36 °F to 46 °F)
 Moderna COVID-19 Vaccine, Bivalent For use under Emergency Use Authorization NDC 80777-282-99	BIVALENT Moderna: Blue vial with gray-bordered label	6yr-11yr	NONE	Booster dose 25 mcg/ 0.25mL	

	MONOVALENT Moderna: Red vial cap with blue-bordered label	12 yr and older	NONE	Any doses in primary series	100 mcg/ 0.5mL	Ultra-cold: NONE Freezer: Until expiry -50°F to -15°C $(-58^{\circ}\text{F}$ to $+5^{\circ}\text{C}$)
	BIVALENT Moderna: Blue vial cap with gray-bordered label	12 yr and older	NONE	Booster dose	50 mcg/ 0.5mL	Fridge: 30 days 2°C to 8°C $(36^{\circ}\text{F}$ to 46°F)
	MONOVALENT Pfizer-BioNTech: Maroon vial cap with maroon-bordered label	6m- 4yr	2.2mL 0.9% sodium chloride *only use diluent supplied from manufacturer	Dose 1 and dose 2 in primary series <i>*A booster dose is not authorized for children who received a 3-dose primary series regardless which vaccine (monovalent or bivalent) was administered for Dose 3</i>	3 mcg/ 0.2mL	Ultra-cold: Until expiry -90°C to -60°C $(-130^{\circ}\text{F}$ to -76°F)
	BIVALENT Pfizer-BioNTech: Maroon vial cap with maroon-bordered label ***label states bivalent***	6m- 4yr	2.2mL 0.9% sodium chloride *only use diluent supplied from manufacturer	Dose 3 in primary series <i>*A booster dose is not authorized for children who received a 3-dose primary series regardless which vaccine (monovalent or bivalent) was administered for Dose 3</i>	3 mcg/ 0.2mL	Fridge: 10 weeks 2°C to 8°C $(36^{\circ}\text{F}$ to 46°F)

	MONOVALENT Pfizer-BioNTech: Orange vial cap with orange-bordered label	5yr-11yr	1.3mL 0.9% sodium chloride <i>*only use diluent supplied from manufacturer</i>	Any dose is primary series	10 mcg/ 0.2mL	Ultra-cold: Until expiry -90°C to -60°C (-130°F to -76°F)
	BIVALENT Pfizer-BioNTech: Orange vial cap with orange-bordered label <i>***label states bivalent***</i>	5yr-11yr	1.3mL 0.9% sodium chloride <i>*only use diluent supplied from manufacturer</i>	Booster dose	10 mcg/ 0.2mL	Freezer: NONE
	MONOVALENT Pfizer-BioNTech: Gray vial cap with gray-bordered label	12yr and older	NONE	Any dose in the primary series	30 mcg/ 0.3mL	Fridge: 10 weeks 2°C to 8°C (36°F to 46°F)
	BIVALENT Pfizer-BioNTech: Gray vial cap with gray-bordered label <i>***label states bivalent***</i>	12 yr and older	NONE	Booster dose	30 mcg/ 0.3mL	

 <p>Novavax COVID-19 Vaccine, Adjuvanted Suspension for Intramuscular Injection</p> <p>10 Multi-Dose Vials Each vial contains 10 doses of 0.5 mL For use under Emergency Use Authorization</p>	MONOVALENT Novavax: Royal Blue cap	12 yr and older	NONE	Any dose in primary series and booster	5 mcg and 50 mcg of Matrix-M adjuvant/ 0.5mL	Ultra-cold: NONE Freezer: NONE Fridge: until expiry 2°C to 8°C $(36^{\circ}\text{F}$ to 46°F)
 <p>Janssen COVID-19 Vaccine SUSPENSION FOR INTRAMUSCULAR INJECTION</p> <p>For use under Emergency Use Authorization</p> <p>Attention: After first use, hold at 2°C to 8°C $(36^{\circ}\text{F}$ to 46°F). Discard after 6 hours. Do not freeze.</p> <p>10 Multi-dose Vials Each vial contains 5 doses of 0.5 mL</p> <p>Janssen COVID-19 Vaccine SUSPENSION FOR INTRAMUSCULAR INJECTION</p> <p>For use under Emergency Use Authorization</p> <p>Attention: After first use, hold at 2°C to 8°C $(36^{\circ}\text{F}$ to 46°F). Discard after 6 hours. Do not freeze.</p>	MONOVALENT Janssen: Blue cap	18 yr and older	NONE	Any dose in primary series but only in certain limited situations due to safety concerns	5x10^10 viral particles/ 0.5mL	Ultra-cold: NONE Freezer: NONE Fridge: Until expiry 2°C to 8°C $(36^{\circ}\text{F}$ to 46°F)

<https://www.cdc.gov/vaccines/covid-19/downloads/COVID-19-immunization-schedule-ages-6months-older.pdf>

<https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us-appendix.html>

<https://www.fda.gov/emergency-preparedness-and-response/coronavirus-disease-2019-covid-19/covid-19-vaccines>

<https://www.michigan.gov/mdhhs/adult-child-serv/childrenfamilies/immunization/covid-19-vaccine-provider-guidance-and-educational-resources>

<https://www.cdc.gov/vaccines/covid-19/info-by-product/index.html>

<https://www.cdc.gov/vaccines/covid-19/downloads/Child-Age-Transition-508.pdf>

<https://www.cdc.gov/vaccines/covid-19/clinical-considerations/covid-19-vaccines-us.html#primary-series>

<https://www.cdc.gov/vaccines/hcp/admin/resource-library.html>