

# COVID-19 Vaccine Provider Call

May 2021



# Agenda

- Introduction/Welcome
- US/State data
- Janssen(J&J) update
- Moderna update: extra doses
- OSIS
- Communication resources
- Questions

# Distribution By the Numbers

for the week of May 2, 2021



**21** Weeks of distribution



**8.1M** Total doses administered in Long-Term Care Facilities



**318M** Total doses ordered



**9M** Total doses administered through Federal Programs



**310M** Total doses delivered



**37K+** Total pharmacy locations nationwide in the Federal Retail Pharmacy Program



**240M+** Total doses administered and reported



**3,157** Total sites enrolled through the Health Center COVID-19 Vaccine Program



**149+** Total COVID-19 vaccine providers



**0.13%** Percentage of doses reported as wastage



## STATEWIDE COVID-19 VACCINE ADMINISTRATION (AS OF 5/5/2021)

**1,312,154**  
people have  
received **at least 1**  
**dose\*** of the  
COVID-19 vaccine



**1,051,469**  
people are **fully**  
**vaccinated\*\*** with  
the COVID-19  
vaccine



Across Oklahoma, a total of **2,293,638**  
**COVID-19 vaccine doses** have been **administered**  
since 12/14/2020

\*Refers to individuals receiving Pfizer and Moderna COVID-19 vaccines and/or receiving single shot of J&J/Janssen Vaccine

\*\*Refers to individuals fully vaccinated after receiving either Pfizer and/or Moderna COVID-19 vaccines (both doses) and/or receiving single shot of J&J/Janssen Vaccine



Note: Total vaccine administered does not include doses administered by federal entities (Bureau of Prisons, Veterans Health, Indian Health Service, or Department of Defense).

Not for public distribution, data intended for internal planning purposes.

Data Source: COVID-19 Vaccination Reporting Specification (CVRS) Dataset - Oklahoma State Immunization Information System (OSIIS). Data reflect information entered as of 11:59PM 5/5/2021





# COVID-19 VACCINATIONS IN OKLAHOMA – FEDERAL AND STATE (5/5/2021)



Total Vaccine Doses Delivered	
Delivered	3,788,445
Rate per Adult 100K	126,083

Total Vaccine Doses Administered	
Administered	2,736,824
Rate per Adult 100K	90,066



## Total Population



## Population 18+




## Population 65+



Data Source: CDC COVID Data Tracker – COVID-19 Vaccinations in the United States. Posted: 5/5/21



# DAILY REPORTED ADMINISTERED VACCINE DOSES & 7-DAY ROLLING AVERAGE (AS OF 5/5/2021)



\*Current total vaccines administered include doses administered by federal entities (Bureau of Prisons, Veterans Health, Indian Health Services, and Department of Defense).

Data Source: COVID-19 Vaccination Reporting Specification (CvRS) Dataset - Oklahoma State Immunization Information System (OSIIS). Data reflect information entered as of 11:58PM 5/5/2021



# Updates for Janssen and Moderna

# Janssen

## Reporting rates of TTS after Janssen COVID-19 vaccine

- 7.98 million vaccine doses administered\* and 15 confirmed TTS cases<sup>†</sup> as of April 21, 2021
  - Some age- and sex-specific doses administered data were imputed
  - Additional potential TTS cases under review, including potential male cases

	Females			Males		
Age group	TTS cases	Doses admin	Reporting rate <sup>‡</sup>	TTS cases	Doses admin	Reporting rate <sup>‡</sup>
18-49 years old	13	1,866,294	7.0 per million	0	1,977,330	0 per million
50+ years old	2	2,125,239	0.9 per million	0	2,010,144	0 per million

\* Source of doses administered: <https://covid.cdc.gov/covid-data-tracker/#vaccinations>; <sup>†</sup> One case was excluded from the final analysis: a female aged <50 years who had concurrent diagnosis of COVID-19 and TTS following receipt of Janssen vaccine; <sup>‡</sup> Reporting rate = TTS cases per 1 million Janssen COVID-19 vaccine doses administered

20





# Janssen

## Why did the pause end?

A review of all available data at this time shows that the J&J/Janssen COVID-19 Vaccine's known and potential benefits outweigh its known and potential risks for those recommended to receive it.

## Information for healthcare providers

- [Revised EUA](#)
- Symptoms within three weeks after receiving the vaccine: severe or persistent headaches or blurred vision, shortness of breath, chest pain, leg swelling, persistent abdominal pain, easy bruising or tiny blood spots under the skin beyond the injection site.

Patients should seek medical care right away if you develop one or more of these symptoms.



# Moderna

## New multi dose vials

- Carton of 10 multiple-dose vials, each vial containing a maximum of 11 doses: range 10-11 doses (0.5 mL)
  - If you can get an 11th dose, please adjust inventory – add extra dose. If you cannot get an 11th dose, it is not counted as wastage.
  - OSIS will still display this vial as a 10 multiple-dose vial, not an 11 multiple- dose vial.
- Carton of 10 multiple-dose vials, each vial containing a maximum of 15 doses: range 13-15 doses (0.5 mL)
  - If you can get a 15th dose, please adjust inventory – add extra dose. If you cannot get a 15th dose, it is not counted as wastage.
  - OSIS will still display this vial as a 14 multiple-dose vial, not a 15 multiple-dose vial.
- These vials will be available in the coming weeks.



# How are different vaccine are shipped and stored?

- Moderna is shipped frozen.
- Janssen is shipped frozen.
- Pfizer is shipped in a special low temperature container.
- Dry ice for Pfizer is shipped to providers without ultra-cold storage only once – within 24 hours after vaccine delivery.
- If providers want to keep Pfizer in the shipper for 30 days with dry ice, they need to order additional dry ice. After 30 days – shipper must be returned and vaccines can be moved to freezer for 2 weeks, and then into fridge for 5 days (120 hours).

- If using the thermal shipping container to store vaccine, add dry ice pellets (9 mm to 16 mm) within 24 hours of delivery and every 5 days or as needed to maintain temperatures.
- Unless a provider opts out, dry ice will be delivered within 24 hours of vaccine delivery to refill the thermal shipping container for the first re-ice only. Additional dry ice will not be provided. Locate a dry ice source if planning to use the shipping container to store vaccine for more than 5 days.



# Vaccine Storage

Vaccine	Temp
Frozen Ultra Cold Pfizer	-60°C to -80°C
Standard Freezer Pfizer	-25°C to -15°C ( -13°F to 5°F) <i>*this must be tracked and cannot exceed 2 weeks</i>
Refrigerated Pfizer	2°C TO 8°C (36° to 46° F) <i>*this must be tracked and cannot exceed 5 days (120 hours)</i>
Frozen Moderna	-50°C to -15°C or (-15°F to 5°F)
Refrigerated Moderna	2°C TO 8°C (36° to 46° F)
Refrigerated Janssen	2°C TO 8°C (36° to 46° F)

## Please Note:

- Pfizer Vaccine has a duration of only 6 hrs once it has been punctured.
- Moderna Vaccine has a duration of only 12 hrs once it has been punctured.
- Janssen Vaccine has a duration of only 6 hrs once it has been punctured if stored under refrigeration conditions and 2hrs if stored at room temperature of 8°C to 25°C (46°F to 77°F) once punctured.
- Moderna Lot # / Expiration date
- <https://www.modernatx.com/covid19vaccine-eua/providers/vial-lookup>
- Janssen Lot # / Expiration date
- [www.vaxcheck.jnj](http://www.vaxcheck.jnj)

# OSIIS

Reconciliation  
Ordering & Receiving  
Adjusting Inventory  
Wastage

# Reconciliation and Adjusting Inventory

## Reconciliation

- Providers are required to reconcile and order covid vaccines only once during the ordering time frame: Thursday, Friday, or Monday.
- An informational video on COVID 19 vaccine reconciliation and ordering can be accessed at <https://vimeo.com/528424790>
- [Inventory Reconciliation](#)

## Adjusting inventory to add an extra dose

- Providers need to add extra dose if they can get an 11th or a 15th dose of Moderna
- Tip sheet ["How to add an extra dose"](#)



# Ordering Process

- **We have plenty vaccine doses available**
- **Ordering time frame: Thursday, Friday, Monday**
  - Providers can place orders on Thursday, Friday, and Monday.
  - The cutoff date/time is still Monday at 5 pm each week.
  - Providers are required to reconcile and order covid vaccines only once during the ordering time frame.
  - Place separate orders for each vaccine brand.
  - Min order for Moderna – 100 doses, min order for Pfizer (min order 1,170 doses) and one for Janssen (min order 100 doses) as needed.
  - Shipment: 7-10 working days
  - Reconciliation and order must be closed/submitted on the same day.



# Receiving shipment

## Enter correct data when receiving inventory

Vaccine Inventory [Learn More](#) Cancel T Create

View

Date *	10/26/2015
Inventory Location *	TRAINING - IMMUNIZATIONS > TRAINING INV LOC - IMM CLINIC
Vaccine   Mfg   NDC   Brand *	HEPA/B (TWINRIX)   SKB   58160-0815-11   TWINRIX (1 ML X 10 VIALS)
Lot Number *	56NF4806
Expiration Date *	01/01/2016
Funding Source *	317
Doses Adjusted *	10
Container Id	
Comments	RECEIVED FROM SHIPMENT 0123456789 ON 10/29/2014 FOR VACCINE ORDER 2014102965432001

Confirm all other values are correct.  
Edit if necessary.

### Moderna

The expiration date is NOT printed on the vaccine vial or carton. To determine the expiration date:

- Scan the QR code located on the outer carton, or
- Go to <https://www.modernatx.com/covid19vaccine-eua/providers/vial-lookup>

### Janssen

The expiration date is NOT printed on the vaccine vial or carton. To determine the expiration date:

- Scan the QR code located on the outer carton, or
- Call 1-800-565-4008, or
- Go to [www.vaxcheck.inj](http://www.vaxcheck.inj).

### Pfizer

Expiration date is printed on the tray and each vial.





# Stay Up-to-Date on Your Vaccine Orders

## Turn on email notifications in OSIIIS to know:

- If the order is approved or rejected;
- When the shipment is delivered.

Order Approved Alert



Order Pending Shipment Alert



Order Rejected Alert



Order Submitted For Approval Action



# Wastage

- Do not return unused, open, spoiled, or expired COVID-19 vaccines to manufacturers, distributors, Oklahoma State Department of Health, or local County Health Departments.
- ☐ Store wasted vaccines separately from viable vaccines and label them accordingly. The label should say: “Wasted. DO NOT USE.”
- ☐ Open vials must be disposed of in the sharps container at the end of each day. Do not put open vials back into the fridge : adjust in OSIIS and discard at the end of the day.
- ☐ COVID-19 vaccine program requirements include reporting wastage (unused, open, spoiled, or expired) into OSIIS. Please follow [this tip sheet to report COVID-19 vaccine wastage](#).

After the wastage is recorded in OSIIS, the provider must dispose in accordance with Oklahoma regulations and processes to dispose of regulated medical waste.



# How To Guides

## "How To" Guides

- [How to Turn On User Default Order Notifications](#)
- [Inventory Reconciliation](#)
- [How to Place a Covid-19 Vaccine Order](#)
- [Immunizing a Patient for COVID](#)
- [How to add an extra dose](#)
- [Wastage](#)



# Communication Resources and promoting your practice

# Communication resources

- CDC Social Media Toolkit: [COVID-19 Vaccines | CDC](#)
- [CDC print materials for providers](#)
- [COVID-19 Graphics and Buttons | CDC](#)

## WHAT YOU CAN DO ONCE YOU HAVE BEEN FULLY VACCINATED


### Activity

Visit inside a home or private setting without a mask with other fully vaccinated people of any age	✓
Visit inside a home or private setting without a mask with one household of unvaccinated people who are not at risk for severe illness	✓
Travel domestically without a pre- or post-travel test	✓
Travel domestically without quarantining after travel	✓
Travel internationally without a pre-travel test depending on destination	✓
Travel internationally without quarantining after travel	✓
Visit indoors, without a mask, with people at <a href="#">increased risk for severe illness from COVID-19</a>	✗
Attend medium or large gatherings	✗




[cdc.gov/coronavirus](https://cdc.gov/coronavirus)

CS323699-A 04/02/2021



# Vaccines.gov & Public Shot Record

- Add your clinic to Vaccine Finder: [VaccineFinder Public Display](#)
- [VaccineFinder](#) --> [Vaccines.gov](#)
- Text messaging service in US, in English and Spanish.
- Text ZIP code to 438829 (GETVAX) and 822862 (VACUNA) to find three locations with vaccines.
- OSIIS SHOT RECORD PORTAL:  
[https://osiis.health.ok.gov/osiis\\_public/LoginPublicPortal.aspx](https://osiis.health.ok.gov/osiis_public/LoginPublicPortal.aspx)



The screenshot shows the Vaccines.gov mobile app interface. At the top, there is a back arrow on the left and a user profile icon with the number 438829 and a right arrow on the right. Below this, a text box contains the text: "Vaccines.gov COVID-19 vaccine sites near you. Contact locations to schedule." Underneath, two locations are listed: "Costco Wholesale Corporation" and "Walmart Inc". Each location is followed by its address, city, state, and zip code, and a phone number.

[Vaccines.gov](#) COVID-19 vaccine sites near you. Contact locations to schedule.


**Costco Wholesale Corporation**  
**13200 N Western AVE**  
**Oklahoma City, OK, 73114**  
**[4058325112](tel:4058325112)**

**Walmart Inc**  
**2000 W Memorial Rd**  
**Oklahoma City, OK,**  
**73134-6506**  
**[4057521900](tel:4057521900)**



# Important Contacts


## IFC Region Map



Revised 4-19-21



# County Health Departments



<https://oklahoma.gov/health/county-health-departments/oklahoma-county-health-departments-reference-guide.html>

# Important Contacts

- Please [subscribe to our updates](#) to ensure you don't miss any important communication. There are two options to subscribe: via email and via text messages. If you want to receive updates via both, please subscribe for email updates and then for text messages updates [https://public.govdelivery.com/accounts/OKSDH/subscriber/new?topic\\_id=OKSDH\\_263](https://public.govdelivery.com/accounts/OKSDH/subscriber/new?topic_id=OKSDH_263)
- Emails can come from: [Immunize@health.ok.gov](mailto:Immunize@health.ok.gov); [osdh@public.govdelivery.com](mailto:osdh@public.govdelivery.com); [CVGOVERNMENT@Pfizer.com](mailto:CVGOVERNMENT@Pfizer.com), [CDCCustomerService@McKesson.com](mailto:CDCCustomerService@McKesson.com) & [Pfizer.logistics@controlant.com](mailto:Pfizer.logistics@controlant.com)
- Important Contact Information
  - OSIS: [OSISHELP@health.ok.gov](mailto:OSISHELP@health.ok.gov)
  - Immunization: [Immunize@health.ok.gov](mailto:Immunize@health.ok.gov)
  - VaccineFinder: [vaccinefinder@castlighthousehealth.com](mailto:vaccinefinder@castlighthousehealth.com)



# Questions/Suggestions