



18th February 2021

Important Customer Notice – Immediate Action Required

Dear Colleague,

Manufacturer: Fang Tian FT-045A FFP3 masks
Supplier: Polyco Healthline
Product Code: BWM541

We have received information that suggests this item may not meet DHSC's essential technical specification for FFP3 masks. We are therefore investigating compliance with these standards to verify that this mask meets the necessary standards. Following information received from the NHS, we are also seeking to confirm the origin of manufacture.

We are undertaking a rapid review of which the regulators are aware. Meanwhile, we will pause distribution pending further decisions once our investigations have concluded.

We would ask that you check your stocks and stop using this product for the time being, and immediately quarantine any stock of this product you may have and cascade this message to any organisations you make have provided with this mask through mutual aid. Please see product and packaging images attached at **Annex A**.

Please be assured that we are working with regional teams and providers to fit test staff to alternative models and provide of them with alternative masks in the quantities needed. We have a good supply of other FFP3 masks. If you require further urgent fit testing support, please contact your regional fit test project manager listed at **Annex B**.

The safety of all frontline staff is our top priority. We have commissioned independent testing and will communicate with you shortly about the outcome of this.

Action Required

Review your stocks of FFP3s and identify whether you have any of the Fang Tian FT-045A FFP3 masks. If you have, these should be immediately quarantined. You should also be advised that some of these masks may have been delivered in boxes with the product marked as FT-045.

If you have further questions about this issue, please contact ppe.complaintsandenquiries@nhs.net.

Further Actions

We have taken immediate actions to stop any further distribution of the Fang Tian FT045A FFP3 masks at this time, and will provide a further update once our investigations have concluded.

Yours faithfully,

Moira Philpott
Acting Chair, DHSC PPE Decision Making Committee



Annex A: Product Images





The FT-045A model has a head strap adjusted by a toggle.



Annex B: Contact Numbers for National Fit Test Team

South East

Sophia Salim
Project Manager, South East/North of London
M +44 7775 861122
Sophia.Salim@ashfieldhealthcare.com

London

Mo Salim
Project Manager, London
M +44 7824 50 77 45
Mohammed.Salim@ashfieldhealthcare.com

South of London

Richard Chadwick
Project Manager, South of London
M +44 7887 894292
Richard.Chadwick@ashfieldhealthcare.com

Midlands

Ash Ahmed
Project Manager, Midlands
M +44 7900 90 82 82
Ash.Ahmed@ashfieldhealthcare.com

North West/North East

James Eckersley
Project Manager, North West/North East
M +44 7793892442
James.Eckersley@ashfieldhealthcare.com