

FEMA

Daily Operations Briefing

Saturday, October 21, 2017

8:30 a.m. EDT

Significant Activity – Oct 20 - 21

FEMA

Significant Events:

Response and recovery – Harvey, Irma, Maria; CA Wildfires

Tropical Activity:

- Atlantic No tropical cyclones expected next 48 hours
- Eastern Pacific No tropical cyclones expected next 48 hours
- Central Pacific No tropical cyclones expected next 48 hours
- Western Pacific Tropical Depression (27W)

Significant Weather:

- Severe Weather possible Southern Plains to Great Lakes
- Flash Flooding possible OR, WA, TX, OK, AR, KS & MO
- Critical Fire Weather CA
- Elevated Fire Weather CA, MT, SD, WY, NE, CO & KS
- Red Flag Warnings CA, AZ & NV
- Space Weather:
 - Past 24 hours: Minor, radio blackouts reaching R1 level
 - Next 24 hours: none


Earthquake Activity: No significant activity

Declaration Activity:

- Amendment No. 1 to FEMA-3381-EM-CA
- Amendment No. 2 to FEMA-3385-EM-FL
- Amendment No. 13 to FEMA-4337-DR-FL

Tropical Outlook – 48 Hour










Central Pacific Eastern Pacific Atlantic

Tropical Outlook – Western Pacific



Tropical Depression (27W) (Advisory #7 as of 6:00 a.m. EDT)

- Located 285 miles ESE of Guam
- Moving WSW at 8 mph
- Maximum sustained winds 35 mph
- Not expected to significantly intensify through Monday as it nears Guam



PR/USVI Update



Puerto Rico

- Shelters: 92 (-2) shelters open with 4,246 (-100) occupants
- Disaster Assistance Registrations: 792k, PR; 14.9k, USVI

Power Outages / Restoration

- 18.5% (-3.1) of customers with power restored
- 25.4% of transmission lines energized; 36.5% substations energized
- PREPA estimating 95% to be restored by December 15

Communications:

 61% of population live in areas where wireless coverage is available for voice and text messages

Health & Medical

- 63 (-1) of 67 hospitals open; one closed due to air conditioner failure
- 2 Federal Medical Stations operational

Water Restoration

- 71.58% of customers have potable water service
- · 65 water filter plants are operating

Guajataca Dam

 Water has stopped flowing over spillway; reservoir pool is 4 feet below spillway; there is no longer any seepage noted under spillway slabs

FEMA Response

- NRCC: Modified Level III (day shift, 8:00 am 6:00 pm EDT)
- · National IMAT East-1 & 2, & Region III IMAT deployed to PR
- FEMA Region II & X IMATs: deployed to USVI
- · MERS teams deployed to both USVI & PR

U.S. Virgin Islands

- Shelters: 5 shelters open with 309 (-18) occupants
- Disaster Assistance Registrations: 14.5k

Power Outages / Restoration

Customers receiving power from grid: St. Thomas: 29% St. Croix: 1.6%; St. John: no grid power, restoration expected in 2-3 weeks

Communications:


 88% of population lives in area where wireless coverage is available for voice and text


Health & Medical

- St. Thomas: Schneider Medical Center sustained damage; established mobile medical facility
- St. Croix: Charles Harwood Facility closed; Governor Juan Luis Hospital partially open despite damage

National Weather Forecast









Today Tomorrow

Precipitation Forecast – Excessive Rainfall








Severe Weather Outlook – Days 1-3




Day 2


Day 3



Fire Weather Outlook








Today Tomorrow


Hazards Outlook – Oct 23-27






6-10 Day Outlooks





6-10 Day Temperature Probability




6-10 Day Precipitation Probability


Space Weather



	Space Weather Activity	Geomagnetic Storms	Solar Radiation	Radio Blackouts	
Past 24 Hours	Minor	None	None	R1	
Next 24 Hours	None	None	None	None	

For further information on NOAA Space Weather Scales refer to http://www.swpc.noaa.gov/noaa-scales-explanation





Disaster Requests & Declarations



Declaration Requests in Process	Requests APPROVED (since last report)	Requests DENIED (since last report)				
5	IA	РА	НМ	Date Requested	0	0
NY – DR (Expedited) Flooding	Х	Х	Х	July 6, 2017		
ND – DR Severe Storm		Х	Х	August 24, 2017		
KS – DR Severe Storms, Straight-line Winds, and Flooding		Х	Χ	August 31, 2017		
IL – DR Severe Storms and Flooding	Х		Х	August 31, 2017		
NY - DR Severe Storms, Tornadoes, and Flooding	Х	Х	Х	August 31, 2017		

Disaster Amendments



Amendment	Effective Date	Action		
Amendment No. 1 to FEMA-3381-EM-CA	October 20, 2017	Closes the incident period		
Amendment No. 2 to FEMA-3385-EM-FL	October 20, 2017	Closes the incident period		
Amendment No. 13 to FEMA-4337-DR-FL	October 20, 2017	Closes the incident period		

Readiness – Deployable Teams and Assets



Resource	Force Strength	Available	Deployed	Other				,,		605), EHP 10% (31/32) 8% (48/628), LOG 129	
Total Workfor	rce 11,244 🔻	2,215 🛕 19%	7,266	1,763	16% (29	/182), OPS 18% (46/	257), PL 18	3% (76/440), SAF 7%	6 (6/60), SEC 3% (3/97	")	
National	East 1:	Deployed		4342-DR-ID VJFO: Bothell		4323-DR-ND FCO: James R. Stephenson	4319-DR-KS 4321-DR-NE	JFO: Jefferson C		4330-DR-VT 4316-DR-NH	Field Offices
IMATs*	East 2:	Deployed		FCO: Sharon	Loper	VJFO: Denver, CO FCO: Jon Huss	4325-DR-NE 4334-DR-IA VJFO: Kansas City, MO	VJFO: Maynard, MA	o 4329-DR-NH VJFO: Maynard, MA FCO: James N. Russo	DRs: 30 EMs: 5	
(0 Teams)	West:	Deployed			N	Teo. John Huss	FCO: Michael R			TCO. James IV. Itasso	Deployed Teams
Danianal	Assigned:	13			10					M	(Location) 4331-DR-WV
Regional	Available:	1			1		* \ \m		1		JFO: Charleston, WV FCO: Steven S. Ward
IMATs (0-3 Teams)	PMC / NMC:	0			08						D.C. – NRCC
(0-3 Teams)	Deployed:	12	4344-DR-C		The same	一人想為了	51	· \]	1 1 1 5	NY TANA	MERS: Bothell, Thomasville
	Assigned:	28	FCO: Willia	A	TAN	To the same of the	1				4346-DR-SC 3389-EM-AL
US&R	Available:	27	4305-DR-CA 4302-DR-HVT 4308-DR-CA		- A	NV III	1	THE STATE OF THE S	IN OH		JFO: TBD
(>66%)	PMC / NMC:	1	4312-DR-R	RT	7		*		y John (f	1	FCO: Warren J. Riley
	Deployed:	0	JFO: Sacramento, CA FCO: Timothy J. Scranton	E GA	1			John Mills	3	JFO: Robins AFB, GA FCO: Thomas J. McCool	
	Assigned:	36		-1 (CA EOC)	-	AZ /		JOK T	The state of the s	15	R-IV IMAT-2
MERS	Available:	18	*MERS: Bothell & Denver		` !	- 1	HM	The state of the s			3395-EM-FL 4337-DR-FL
(>33%)	NMC:	0				- Long		THE WAY			JFO: Orlando, FL 4341-DR-STOF
	Deployed:	18				人公理		The same		JFO: Hollywood, FL FCO: Willie G. Nunn	
	Assigned:	38				4 1	S	1	12 12 12 12 12 12 12 12 12 12 12 12 12 1		R-I IMAT (Branch IV)
FCO	Available:	2							3393-EM-MS		RIV IMAT-1 (Orlando & Miami, FL)
(≤1 Type I)	PMC / NMC:	2				4332-DR-TX			JFO: TBD FCO: Manny J. Toro	9	RIV LNO (STOF EOC) MERS: Denver, Thomasville
	Deployed:	34				JFO: Austin, TX FCO: Kevin L. Hann	es	4345-DR-LA 4277-DR-LA			
	Assigned:	14				N-IMAT W (Austin) R-VI IMAT-1 (Houst		3392-EM-LA JFO: Baton Rouge, LA	4336-DR-PR 4339-DR-PR	DR .	4335-DR-USVI 4340-DR-USVI
FDRC	Available:	0				R-VI IMAT-2 (Austin	n)	FCO: William J. Doran III LA Recovery Office	JFO: San Juan, PR FCO: Michael F. Byrne	USVI	JFO: TBD FCO: William L. Vogel
(1)	PMC / NMC:	1				R-VIII IMAT (Austin MERS: Bothell, Den)	Baton Rouge, LA Manager: M. Womack	N-IMAT E1, E2, R-III IMAT RII LNO (EOC)		R-X IMAT (St. Thomas) R-II IMAT/LNO (St. Croix)
	Deployed:	13	As of 3:00 a.m. EDT Octol	ber 21, 2017			, 55.116.		MERS: Bothell, Denton, Frederick, Maynard, Denver		MERS: Bothell, Maynard, Denton, Denver

^{*}B-2 Status: Assemble \(\leq 2\)-hrs, On Site \(\leq 18\)-hrs; B-48 Status: Assemble and deploy \(\leq 48\)hrs; Charlie Status: No team assemble time requirement

FEMA Readiness – Activation Teams



Resource	Status	Total	Status	Activated Team	Activation Level	Activation Times	Reason/Comments
NWC		5	Steady State				
NRCC		2	Activated	Blue	Modified Level III	Day shift only 8:00 a.m 6:00 p.m. EDT	Tropical Activity – Atlantic
HLT		1	Activated				Hurricane Season
RWCs/MOCs		10	Steady State				Region II COOP through 6:00 p.m. EDT (planned building maintenance)
RRCCs		10	Not Activated				

Back-up Region: V, III & I



FEMA's mission is to support our citizens and first responders to ensure that as a nation we work together to build, sustain, and improve our capability to prepare for, protect against, respond to, recover from, and mitigate all hazards.